Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

Certification and Certificate Holder Details

Company Name	**Guangdong Sangu Technology Co., Ltd**	Other Name	
Address	**402 Chuangye Building, 8-28 Shaqi Community Central Road, Xinqiao Street, Bao'an District, Shenzhen Guangdong 528421 China**		
Client ID	**107967**	Global-Mark File Number: **107967-005**	System 1 Approval
Certificate Number & Approval Mark	**GMA-520230-EA**	Revision Number **00**	
Certification Standard(s)	**AS/NZS 62368.1:2022 & AS/NZS 3112:2017 App J including A1 Audio/video, information and communication technology equipment - Safety requirements**		
Type of Certification	**Electrical Safety Product** *Scheme* **Global-Mark Electrical Product Safety Certification Scheme**		

Certificate Dates

Certificate Issue Date	**12/09/2024**
Certificate Last Update Date	
Certification Expiry Date	**12/09/2029**

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Confidence Conformance Communal

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	**Product Description**	**Trade Name**	**Model Number**	**Rating**
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-PA20MS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5Vdc 3A, 9Vdc 2A, 12Vdc 1.5A (18W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-PB20MS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5Vdc 3A(15.0W)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-PB20MAS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5Vdc 2.5A(12.5W)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-PB20MBS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5Vdc 2A(10.0W)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-PB20MCS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5Vdc 1.5A(7.5W)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-PC20MS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5Vdc 3A, 9Vdc 2.22A, 12Vdc 1.67A (PPS: 3.3V-11Vdc 2A) (20W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	GA-QC810A	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5Vdc 3A, 9Vdc 2.22A, 12Vdc 1.67A (PPS: 3.3V-11Vdc 2A) (20W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-PD20MS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: USB-A: 5Vdc 3A, 9Vdc 2A, 12Vdc 1.5A (18W MAX) USB-C: 5Vdc 3A, 9Vdc 2.22A, 12Vdc 1.67A (20W MAX) USB-C+A: 5Vdc 3A (15W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501000S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.00A (5.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501000AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.00A (5.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501000ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.00A (5.0W MAX)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Conformity

Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501200S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.20A (6.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501200AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.20A (6.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501200ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.20A (6.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501250S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.25A (6.3W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501250AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.25A (6.3W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501250ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.25A (6.3W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501500S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.50A (7.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501500AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.50A (7.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501500ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.50A (7.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501600S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.60A (8.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501600AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.60A (8.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501600ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.60A (8.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501750S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.75A (8.8W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501750AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.75A (8.8W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501750ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.75A (8.8W MAX)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Conformity

Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501800S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.80A (9.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501800AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.80A (9.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0501800ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 1.80A (9.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502000S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.00A (10.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502000AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.00A (10.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502000ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.00A (10.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502100S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.10A (10.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502100AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.10A (10.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502100ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.10A (10.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502400S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.40A (12.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502400AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.40A (12.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502400ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.40A (12.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502500S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.50A (12.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502500AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.50A (12.5W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0502500ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 2.50A (12.5W MAX)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Conformity

Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0503000S	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 3.00A (15.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0503000AS	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 3.00A (15.0W MAX)
Power Supply or Charger	POWER ADAPTER	Guangdong Sangu Technology Co., Ltd	SG-0503000ASC	Input: 100-240VAC or 180-240VAC, 50/60Hz, 0.6A MAX Output: 5.0Vdc 3.00A (15.0W MAX)

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
For use with AV/IT equipment

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia